

Table 1C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Page: 1
Run Date: 4 / 11 / 11

Total Records	Number
Individual Children	15,645
Total Records (All Visits)	36,114

Source of Data	Number	%
WIC	15,645	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	15,645	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	8,991	57.6
Black, Not Hispanic	774	5.0
Hispanic	1,493	9.6
American Indian/Alaska Native	3,016	19.3
Asian/Pacific Islander	150	1.0
Multiple Races	1,181	7.6
All Other	0	0.0
Total	15,605	100.0
<i>Excluded Unknown:</i> 40 * %		

Age Distribution (4)	Number	%
0 - 5 Months	3,621	23.1
6 - 11 Months	2,298	14.7
12 - 23 Months	2,733	17.5
24 - 35 Months	2,596	16.6
3 - 4 Years	4,397	28.1
Total	15,645	100.0

% of Poverty Level	Number	%
0-50	5,575	36.2
51-100	3,582	23.2
101-130	2,146	13.9
131-150	1,373	8.9
151-185	1,912	12.4
186-200	192	1.2
Over 200	631	4.1
Adjunctive Eligibility	0	0.0
Total	15,411	100.0
<i>Excluded Unknown:</i> 234 1.5 %		

Program Participation	Number	%
WIC	15,645	100.0
SNAP	15,642	27.3
Medicaid	15,642	60.8
TANF	15,642	3.8
<i>Excluded Unknown:</i>		
WIC	0	0.0
SNAP	3	*
Medicaid	3	*
TANF	3	*

Migrant Status	Number	%
Yes	44	*
No	15,579	99.7
Total	15,623	100.0
<i>Excluded Unknown:</i> 22 * %		

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4 / 11 / 11

Summary of Health Indicators ⁽³⁾					
			North Dakota Prevalence		National Prevalence (Prior Year)
			Number	%	
			Number	%	
Birthweight (4)					
Low	< 2500 g		3,551	9.1	1,961,342 8.9
High	> 4000 g		3,551	8.0	1,961,342 6.4
Height and Weight					
Short Stature (5)	< 5th		15,367	4.7	8,451,215 6.0
	< 10th		15,367	8.5	8,451,215 10.8
Underweight (6)	< 5th		15,367	2.6	8,451,215 4.3
	< 10th		15,367	4.8	8,451,215 7.5
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th		15,367	13.5	8,451,215 14.0
	85th - < 95th		6,836	16.8	3,678,355 16.4
	≥ 95th		6,836	14.1	3,678,355 14.7
Anemia (7)					
Low Hb			10,841	10.0	5,201,886 15.1
Low Hct			0	*	538,293 11.6
Low Hb/Hct			11,347	9.6	5,524,196 14.9
Breastfeeding (8)					
Ever Breastfed			3,569	63.4	1,769,160 61.7
Breastfed At Least 6 Months			3,192	19.8	911,779 27.0
Breastfed At Least 12 Months			2,466	11.6	1,092,573 18.5
Smoking in Household					
≤ 2 Hours TV Viewing/ Day (9)			14,970	9.0	4,355,723 10.2
			6,922	78.9	1,022,933 77.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 4 / 11 / 11

Summary of Breastfeeding Indicators ⁽³⁾				
	North Dakota Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	3,569	63.4	1,769,160	61.7
Breastfed 1+ Weeks	3,479	59.6	1,499,573	58.7
Breastfed 2+ Weeks	3,391	55.0	1,164,141	56.4
Breastfed 3+ Weeks	3,332	50.5	947,758	53.6
Breastfed 4+ Weeks	3,304	45.7	826,300	50.9
Breastfed 6+ Weeks	3,150	39.3	704,088	44.6
Breastfed 2+ Months	3,121	33.2	665,172	39.2
Breastfed 3+ Months	3,132	28.4	714,931	34.5
Breastfed 4+ Months	3,094	25.5	806,269	31.0
Breastfed 5+ Months	3,079	22.1	904,357	28.2
Breastfed 6+ Months	3,192	19.8	911,779	27.0
Breastfed 9+ Months	2,787	14.2	1,050,661	21.8
Breastfed 12+ Months	2,466	11.6	1,092,573	18.5
Breastfed 18+ Months	1,754	6.3	862,440	10.1
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	3,081	14.0	317,037	9.9
Exclusively Breastfed at Least 6 Months	3,104	8.1	420,655	5.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota

Page: 4
Run Date: 4 / 11 / 11

Comparison of Racial and Ethnic Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
North Dakota	15,645	57.5	4.9	9.5	19.3	1.0	7.5	0.3
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Comparison of Age Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 4 / 11 / 11

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
North Dakota	15,645	37.8	17.5	44.7
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6C
2010 Pediatric Nutrition Surveillance (1)
North Dakota

Page: 6
Run Date: 4 / 11 / 11

Comparison of Growth and Anemia Indicators by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Over- weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% _95th	Number	% 85th- _95th	% >95th	Number	%
North Dakota	3,551	9.1	8.0	15,367	4.7	2.6	13.5	6,836	16.8	14.1	11,347	9.6
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and \geq 95th percentile category identifies obese children..

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C
2010 Pediatric Nutrition Surveillance (1)
North Dakota

Page: 7
Run Date: 4 / 11 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)								
	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)	Smoking in Household
Contributor	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months	Number % Breastfed At Least 12 Months	Number % Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number %	Number %
North Dakota	3,569	63.4	3,192 19.8	2,466 11.6	3,081 14.0	3,104 8.1	6,922 78.9	14,970 9.0
Nation (Prior Year)	1,769,160	61.7	911,779 27.0	1,092,573 18.5	317,037 9.9	420,655 5.3	1,022,933 77.3	4,355,723 10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4 / 11 / 11

Growth and Anemia Indicators by Race/Ethnicity or Age ⁽³⁾												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low %	High %		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
					%	%	%		%	%		%
	Number	<2500 g	>4000 g	Number	<5th	<5th	≥95th	Number	85th-<95th	≥95th	Number	%
Race/Ethnicity												
White, Not Hispanic	2,156	9.0	7.0	8,868	5.4	2.8	11.2	3,708	15.8	11.2	6,375	8.0
Black, Not Hispanic	152	9.9	5.9	755	3.2	4.6	12.2	377	13.5	10.1	579	18.3
Hispanic	337	10.7	7.4	1,451	5.4	2.2	14.0	644	17.5	14.6	1,031	9.3
American Indian/Alaska Native	582	9.8	11.7	2,954	3.2	1.6	21.1	1,532	19.7	22.1	2,397	11.6
Asian/Pacific Islander	43	*	*	149	5.4	6.0	12.1	61	*	*	98	*
Multiple Races	268	5.6	10.8	1,162	3.4	2.2	13.2	507	17.4	13.6	852	9.5
All Other	13	*	*	28	*	*	*	7	*	*	15	*
Total	3,551	9.1	8.0	15,367	4.7	2.6	13.5	6,836	16.8	14.1	11,347	9.6
Age												
0 - 11 Months	-	-	-	5,801	7.3	2.6	11.6	-	*	*	2,529	13.0
12 - 23 Months	-	-	-	2,730	3.6	2.1	16.4	-	*	*	2,332	12.1
24 - 35 Months	-	-	-	2,575	3.1	2.5	13.0	2,575	15.8	13.0	2,633	9.1
36 - 47 Months	-	-	-	2,195	3.3	2.8	14.7	2,195	17.0	14.7	2,207	6.9
48 - 59 Months	-	-	-	2,066	2.3	3.1	14.8	2,066	17.7	14.8	1,646	5.1
Total	-	-	-	15,367	4.7	2.6	13.5	6,836	16.8	14.1	11,347	9.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2010 Pediatric Nutrition Surveillance (1)
North Dakota

Page: 9
Run Date: 4 / 11 / 11

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	2,167	65.5	1,949	20.5	1,457	12.7	3,724	83.3	8,625	9.1
Black, Not Hispanic	154	83.1	152	46.7	128	20.3	369	74.5	735	2.0
Hispanic	340	61.5	314	20.4	223	9.4	659	77.1	1,388	8.1
American Indian/Alaska Native	582	48.6	515	9.5	439	5.7	1,589	69.9	2,937	10.9
Asian/Pacific Islander	43	*	23	*	24	*	61	*	141	2.8
Multiple Races	270	68.1	230	15.7	188	11.2	515	80.8	1,131	10.2
All Other	13	*	9	*	7	*	5	*	13	*
Total	3,569	63.4	3,192	19.8	2,466	11.6	6,922	78.9	14,970	9.0
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	5,500	7.8
12 - 23 Months	-	-	-	-	-	-	0	*	2,645	9.1
24 - 35 Months	-	-	-	-	-	-	2,779	82.8	2,524	9.1
36 - 47 Months	-	-	-	-	-	-	2,154	77.9	2,218	10.3
48 - 59 Months	-	-	-	-	-	-	1,989	74.7	2,083	10.9
Total	3,569	63.4	3,192	19.8	2,466	11.6	6,922	78.9	14,970	9.0

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 4 / 11 / 11

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2010	15,645	57.5	4.9	9.5	19.3	1.0	7.5	0.3
2009	15,808	58.0	4.4	9.6	19.8	0.8	7.3	0.1
2008	15,434	58.4	4.0	9.2	20.8	0.7	6.7	0.2
2007	15,238	60.0	3.8	8.7	21.0	0.8	5.4	0.3
2006	0	*	*	*	*	*	*	*
2005	12,967	66.7	4.7	5.2	22.4	0.9	0.0	0.0
2004	14,367	67.8	4.4	5.3	21.5	1.0	0.0	0.0
2003	13,947	68.9	4.1	5.1	20.9	1.0	0.0	0.0
2002	13,574	69.7	3.9	4.9	20.3	1.2	0.0	0.0
2001	14,050	71.1	4.1	4.7	18.9	1.2	0.0	0.0
2000	14,294	72.5	3.9	4.5	18.1	1.0	0.0	0.0
1999	14,839	74.0	3.5	4.9	16.4	1.1	0.0	0.0
1998	15,640	74.5	3.2	5.1	16.0	1.2	0.0	0.0
1997	14,270	77.9	2.8	3.9	14.1	1.2	0.0	0.0
1996	15,375	76.3	2.4	4.0	16.1	1.3	0.0	0.0
1995	17,486	76.9	2.5	3.5	15.6	1.5	0.0	0.0
1994	17,764	77.5	2.3	3.3	15.4	1.5	0.0	0.0
1993	17,888	77.1	2.1	3.4	16.1	1.3	0.0	0.0
1992	17,255	78.3	2.1	3.3	15.1	1.1	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 4 / 11 / 11

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1991	16,645	77.5	2.3	3.0	16.1	1.1	0.0	0.0
1990	15,437	77.9	2.4	3.0	15.6	1.1	0.0	0.0
1989	14,920	78.1	2.2	2.6	15.9	1.2	0.0	0.0
1988	6,726	79.0	1.7	2.3	15.9	1.1	0.0	0.0
1987	56	*	*	*	*	*	*	*
1986	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 12
Run Date: 4 / 11 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2010	15,645	37.8	17.5	44.7
2009	15,808	37.5	17.7	44.9
2008	15,434	38.7	18.2	43.1
2007	15,238	39.1	18.3	42.6
2006	0	*	*	*
2005	12,967	35.0	20.6	44.4
2004	14,367	34.6	20.0	45.4
2003	13,947	34.9	20.0	45.1
2002	13,574	33.7	19.8	46.5
2001	14,050	33.4	20.0	46.6
2000	14,294	32.5	20.2	47.3
1999	14,839	33.6	19.9	46.5
1998	15,640	33.1	19.7	47.2
1997	14,270	31.6	20.1	48.2
1996	15,375	30.6	19.7	49.7
1995	17,486	31.0	19.8	49.3
1994	17,764	31.1	20.6	48.2
1993	17,888	32.3	19.5	48.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 13
Run Date: 4 / 11 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1992	17,255	33.1	19.6	47.3
1991	16,645	34.2	19.6	46.1
1990	15,437	35.5	20.8	43.7
1989	14,920	33.3	20.2	46.5
1988	6,726	36.0	24.0	40.0
1987	56	*	*	*
1986	1	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 14
Run Date: 4/11/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2010	3,551	9.1	8.0	15,367	4.7	2.6	13.5	6,836	16.8	14.1	11,347	9.6
2009	3,574	8.0	8.4	15,551	4.5	2.6	13.6	6,968	17.5	14.1	11,432	9.3
2008	3,607	9.0	9.2	15,187	4.7	2.5	13.8	6,551	17.5	13.8	11,132	8.7
2007	3,656	8.2	10.4	14,951	4.9	2.9	14.3	6,298	17.7	13.4	10,783	9.2
2006	0	*	*	0	*	*	*	0	*	*	0	*
2005	3,075	7.7	10.2	12,113	4.5	3.0	13.6	5,330	16.7	13.1	7,026	9.6
2004	3,338	7.1	10.7	13,915	4.3	3.4	13.3	6,299	16.2	12.7	8,287	8.2
2003	3,178	7.0	10.8	13,491	4.2	3.4	12.2	6,097	15.6	11.6	8,060	7.5
2002	3,114	6.8	10.6	13,155	4.3	3.2	12.2	6,084	16.1	11.4	7,759	7.1
2001	3,088	6.5	11.3	13,642	4.0	3.4	11.6	6,374	14.9	11.4	8,407	8.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 15
Run Date: 4/11/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2000	3,123	6.9	11.9	13,810	4.0	3.3	12.3	6,518	15.4	10.5	8,890	9.6
1999	3,182	7.0	13.1	14,456	4.4	3.2	11.3	6,796	15.3	10.0	9,935	8.4
1998	3,383	7.6	13.1	15,250	4.7	3.5	10.6	7,246	15.2	9.4	10,356	8.0
1997	2,600	6.4	12.3	13,835	4.1	3.4	10.8	6,739	14.2	8.9	8,737	8.0
1996	3,233	6.1	13.0	15,034	3.9	3.6	9.9	7,466	13.1	7.7	9,905	8.4
1995	3,486	5.6	12.5	17,012	4.0	3.4	9.7	8,459	13.5	7.8	12,236	10.9
1994	3,467	6.3	13.0	17,291	4.2	3.3	10.1	8,424	13.6	7.9	12,431	11.5
1993	3,650	5.6	13.9	17,452	4.4	3.3	9.4	8,438	13.9	7.5	12,574	11.8
1992	3,556	5.1	13.4	16,822	4.1	3.6	8.8	8,031	12.7	7.1	12,311	11.5
1991	3,609	5.0	11.9	16,303	4.1	4.0	8.2	7,571	12.0	6.1	11,648	10.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 16
Run Date: 4/11/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1990	3,423	5.9	13.5	15,071	4.6	3.9	7.9	6,631	11.6	6.3	10,524	11.5
1989	2,988	6.5	14.6	14,475	4.3	3.9	9.0	6,796	13.1	6.9	10,168	13.3
1988	1,886	5.9	13.1	6,472	4.7	4.5	8.9	2,639	12.9	8.1	3,999	17.4
1987	17	*	*	54	*	*	*	18	*	*	43	*
1986	1	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 17
Run Date: 4/11/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	3,569	63.4	3,192	19.8	2,466	11.6
2009	3,585	58.7	3,210	20.3	2,575	11.4
2008	3,614	58.3	3,259	20.1	2,605	10.4
2007	3,651	60.3	3,255	20.7	2,533	11.3
2006	0	*	0	*	0	*
2005	3,208	56.7	2,638	22.6	2,081	14.5
2004	3,361	55.6	2,739	20.5	2,104	14.1
2003	3,191	56.9	2,608	21.1	2,040	15.9
2002	3,131	57.0	2,370	21.7	1,972	14.9
2001	3,109	54.2	2,455	21.1	2,078	14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 18
Run Date: 4/11/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2000	3,148	54.0	2,469	20.6	2,087	16.2
1999	3,214	52.3	2,700	22.9	2,131	15.2
1998	3,433	51.7	2,801	19.2	2,176	13.3
1997	2,641	49.0	2,242	19.8	1,693	13.7
1996	3,263	48.9	2,838	17.9	2,287	11.4
1995	3,519	47.8	2,978	16.7	2,393	10.7
1994	3,508	46.0	3,134	17.2	2,565	10.5
1993	3,688	44.6	3,194	17.1	2,547	11.1
1992	3,597	41.6	3,085	16.3	2,387	11.6
1991	3,645	40.5	2,867	15.9	2,228	10.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 19
Run Date: 4/11/2011

Summary of Trends in Breastfeeding ⁽³⁾					
Year	Breastfeeding (4)				
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number % Breastfed At Least 12 Months
1990	3,460	36.9	2,632	15.2	2,060 10.4
1989	3,024	36.4	2,425	15.3	1,980 8.3
1988	1,922	30.9	1,484	12.1	1,289 4.9
1987	17	*	18	*	15 *
1986	1	*	0	*	0 *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C
2010 Pediatric Nutrition Surveillance
North Dakota
Children Aged < 5 Years

Page: 20
Run Date: 4 / 11 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2010 Pediatric Nutrition Surveillance
North Dakota
Children Aged < 5 Years

Page: 21
Run Date: 4 / 11 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 22
Run Date: 4/11/2011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th % ≥95th
White, Not Hispanic								
0 - 11 Months	3,570	7.8	3,570	2.7	3,570	10.0	0	0.0
12 - 23 Months	1,590	4.3	1,590	2.3	1,590	13.6	0	0.0
24 - 59 Months	3,708	3.5	3,708	3.1	3,708	11.2	3,708	15.8
Total	8,868	5.4	8,868	2.8	8,868	11.2	3,708	15.8
Black, Not Hispanic								
0 - 11 Months	243	6.6	243	2.5	243	12.3	0	0.0
12 - 23 Months	135	1.5	135	2.2	135	17.8	0	0.0
24 - 59 Months	377	1.6	377	6.9	377	10.1	377	13.5
Total	755	3.2	755	4.6	755	12.2	377	13.5
Hispanic								
0 - 11 Months	536	6.9	536	2.1	536	11.8	0	0.0
12 - 23 Months	271	4.4	271	2.2	271	17.0	0	0.0
24 - 59 Months	644	4.7	644	2.3	644	14.6	644	17.5
Total	1,451	5.4	1,451	2.2	1,451	14.0	644	17.5
American Indian/Alaska Native								
0 - 11 Months	932	6.4	932	2.8	932	17.5	0	0.0
12 - 23 Months	490	2.4	490	1.0	490	25.1	0	0.0
24 - 59 Months	1,532	1.5	1,532	1.0	1,532	22.1	1,532	19.7
Total	2,954	3.2	2,954	1.6	2,954	21.1	1,532	19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 23
Run Date: 4/11/2011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander								
0 - 11 Months	59	*	59	*	59	*	0	* *
12 - 23 Months	29	*	29	*	29	*	0	* *
24 - 59 Months	61	*	61	*	61	*	61	* *
Total	149	5.4	149	6.0	149	12.1	61	* *
Multiple Races								
0 - 11 Months	444	6.5	444	2.3	444	11.0	0	0.0 0.0
12 - 23 Months	211	1.4	211	0.9	211	16.6	0	0.0 0.0
24 - 59 Months	507	1.4	507	2.6	507	13.6	507	17.4 13.6
Total	1,162	3.4	1,162	2.2	1,162	13.2	507	17.4 13.6
All Other/Unknown								
0 - 11 Months	17	*	17	*	17	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	7	*	7	*	7	*	7	* *
Total	28	*	28	*	28	*	7	* *
Total All Race/Ethnic Groups								
0 - 11 Months	5,801	7.3	5,801	2.6	5,801	11.6	0	0.0 0.0
12 - 23 Months	2,730	3.6	2,730	2.1	2,730	16.4	0	0.0 0.0
24 - 59 Months	6,836	2.9	6,836	2.8	6,836	14.1	6,836	16.8 14.1
Total	15,367	4.7	15,367	2.6	15,367	13.5	6,836	16.8 14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 24
Run Date: 4 / 11 / 11

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	1,569	12.7	6 - 11 Months	19	*
12 - 17 Months	527	10.8	12 - 17 Months	12	*
18 - 23 Months	802	7.6	18 - 23 Months	13	*
24 - 35 Months	1,439	6.4	24 - 35 Months	18	*
36 - 59 Months	2,038	4.8	36 - 59 Months	36	*
Total	6,375	8.0	Total	98	*
Black, Not Hispanic			Multiple Races		
6 - 11 Months	99	*	6 - 11 Months	191	12.6
12 - 17 Months	57	*	12 - 17 Months	76	*
18 - 23 Months	61	*	18 - 23 Months	100	8.0
24 - 35 Months	132	19.7	24 - 35 Months	232	10.8
36 - 59 Months	230	13.9	36 - 59 Months	253	5.5
Total	579	18.3	Total	852	9.5
Hispanic			All Other/Unknown		
6 - 11 Months	205	15.6	6 - 11 Months	4	*
12 - 17 Months	91	*	12 - 17 Months	2	*
18 - 23 Months	143	11.2	18 - 23 Months	1	*
24 - 35 Months	247	6.9	24 - 35 Months	4	*
36 - 59 Months	345	4.9	36 - 59 Months	4	*
Total	1,031	9.3	Total	15	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	442	10.2	6 - 11 Months	2,529	13.0
12 - 17 Months	174	25.3	12 - 17 Months	939	14.8
18 - 23 Months	273	14.7	18 - 23 Months	1,393	10.3
24 - 35 Months	561	13.5	24 - 35 Months	2,633	9.1
36 - 59 Months	947	7.8	36 - 59 Months	3,853	6.2
Total	2,397	11.6	Total	11,347	9.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota

Page: 25
Run Date: 4 / 11 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
White, Not Hispanic	2010	2,156	9.0	7.0	8,868	5.4	2.8	11.2	3,708	15.8	11.2	6,375	8.0
	2009	2,212	8.5	7.8	9,034	5.5	2.7	10.7	3,884	16.6	10.7	6,468	7.3
	2008	2,150	9.7	8.7	8,882	5.4	2.8	11.1	3,762	16.1	11.1	6,399	7.8
	2007	2,242	9.0	9.5	9,012	5.4	3.1	11.3	3,784	16.3	10.8	6,374	8.1
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	2,091	8.1	9.3	8,139	4.8	2.7	11.2	3,493	15.5	10.2	4,676	8.6
	2004	2,316	7.4	10.1	9,492	4.7	3.3	11.1	4,211	15.6	10.3	5,584	6.9
	2003	2,245	7.8	10.3	9,345	4.6	3.2	10.3	4,168	14.8	9.5	5,540	6.7
	2002	2,265	6.9	9.3	9,190	4.7	3.4	10.4	4,161	15.0	9.8	5,368	6.4
	2001	2,182	6.8	11.0	9,704	4.3	3.7	10.2	4,516	13.7	9.9	6,007	8.3
Black, Not Hispanic	2010	152	9.9	5.9	755	3.2	4.6	12.2	377	13.5	10.1	579	18.3
	2009	128	5.5	6.3	671	2.8	4.3	11.5	349	14.9	9.7	505	16.8
	2008	125	9.6	9.6	611	3.6	3.8	12.6	302	15.2	8.9	462	16.0
	2007	115	5.2	6.1	562	3.2	3.7	12.8	279	14.3	12.2	420	16.9
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	145	10.3	6.2	574	5.2	2.8	12.4	256	15.6	10.5	336	21.7
	2004	141	7.1	11.3	607	3.3	3.6	13.0	288	13.9	11.1	339	18.0
	2003	131	3.8	3.8	558	3.2	3.4	13.6	253	16.2	12.3	333	13.5
	2002	103	7.8	10.7	518	3.5	4.2	12.5	243	11.1	11.1	320	14.1
	2001	134	6.7	7.5	559	3.6	3.8	11.1	241	10.8	9.1	329	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota

Page: 26
Run Date: 4 / 11 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Hispanic	2010	337	10.7	7.4	1,451	5.4	2.2	14.0	644	17.5	14.6	1,031	9.3
	2009	323	5.0	8.7	1,486	3.8	3.1	15.8	629	14.5	16.9	1,056	10.8
	2008	351	8.3	5.4	1,393	4.7	2.2	13.9	547	18.8	13.9	978	10.9
	2007	326	8.0	9.8	1,285	5.0	3.4	16.8	471	16.8	17.0	879	13.3
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	153	5.2	11.1	628	4.0	2.7	17.5	304	17.8	19.1	375	11.5
	2004	150	5.3	8.7	734	4.8	2.5	17.4	352	17.0	17.3	442	12.7
	2003	152	5.3	9.2	683	4.4	2.6	14.8	323	18.0	14.6	395	11.1
	2002	122	4.1	10.7	641	5.8	2.7	14.4	330	20.3	12.7	392	11.0
	2001	129	4.7	9.3	641	4.5	3.9	11.7	330	16.1	10.3	399	8.8
American Indian/Alaska Native	2010	582	9.8	11.7	2,954	3.2	1.6	21.1	1,532	19.7	22.1	2,397	11.6
	2009	580	8.1	11.6	3,075	2.8	1.7	21.5	1,605	21.6	22.8	2,510	11.8
	2008	621	7.7	13.4	3,145	2.9	1.8	21.8	1,617	20.4	21.8	2,552	8.8
	2007	612	5.2	14.4	3,103	3.2	2.5	21.9	1,517	21.8	19.3	2,548	9.1
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	648	6.6	14.4	2,656	3.4	3.9	20.4	1,235	20.1	20.2	1,580	9.4
	2004	695	6.6	12.9	2,938	3.0	3.9	19.6	1,385	18.7	19.4	1,850	9.2
	2003	621	5.6	14.3	2,769	2.6	4.0	18.0	1,292	17.8	17.6	1,720	8.1
	2002	584	6.0	16.1	2,651	2.7	2.4	18.1	1,283	20.1	16.4	1,592	7.0
	2001	600	6.3	14.0	2,577	2.8	2.2	17.1	1,223	19.8	18.1	1,588	7.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota

Page: 27
Run Date: 4 / 11 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight						Anemia Low Hb/Hct (7)		
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Asian/Pacific Islander	2010	43	*	*	149	5.4	6.0	12.1	61	*	*	98	*
	2009	30	*	*	126	4.8	10.3	11.9	65	*	*	95	*
	2008	18	*	*	108	8.3	4.6	13.9	45	*	*	84	*
	2007	30	*	*	125	6.4	2.4	13.6	46	*	*	85	*
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	38	*	*	116	5.2	3.4	12.1	42	*	*	59	*
	2004	36	*	*	144	2.1	4.2	9.7	63	*	*	72	*
	2003	29	*	*	136	6.6	5.9	11.8	61	*	*	72	*
	2002	40	*	*	154	4.5	3.2	7.8	66	*	*	86	*
	2001	43	*	*	161	5.0	3.7	8.1	64	*	*	83	*
Multiple Races	2010	268	5.6	10.8	1,162	3.4	2.2	13.2	507	17.4	13.6	852	9.5
	2009	291	8.2	7.2	1,144	3.1	1.7	13.6	433	18.2	12.0	791	10.4
	2008	332	8.1	9.0	1,025	5.1	1.6	14.0	275	22.2	12.0	649	10.5
	2007	308	9.7	11.0	819	6.2	1.6	15.5	192	20.3	9.9	457	10.7
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	0	*	*	0	*	*	*	0	*	*	0	*
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
North Dakota

Page: 28
Run Date: 4 / 11 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
All Other/Unknown	2010	13	*	*	28	*	*	*	7	*	*	15	*
	2009	10	*	*	15	*	*	*	3	*	*	7	*
	2008	10	*	*	23	*	*	*	3	*	*	8	*
	2007	23	*	*	45	*	*	*	9	*	*	20	*
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	0	*	*	0	*	*	*	0	*	*	0	*
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	1	*	*	*	1	*	*	1	*
	2001	0	*	*	0	*	*	*	0	*	*	1	*
Total All Race/Ethnic Groups	2010	3,551	9.1	8.0	15,367	4.7	2.6	13.5	6,836	16.8	14.1	11,347	9.6
	2009	3,574	8.0	8.4	15,551	4.5	2.6	13.6	6,968	17.5	14.1	11,432	9.3
	2008	3,607	9.0	9.2	15,187	4.7	2.5	13.8	6,551	17.5	13.8	11,132	8.7
	2007	3,656	8.2	10.4	14,951	4.9	2.9	14.3	6,298	17.7	13.4	10,783	9.2
	2006	0	*	*	0	*	*	*	0	*	*	0	*
	2005	3,075	7.7	10.2	12,113	4.5	3.0	13.6	5,330	16.7	13.1	7,026	9.6
	2004	3,338	7.1	10.7	13,915	4.3	3.4	13.3	6,299	16.2	12.7	8,287	8.2
	2003	3,178	7.0	10.8	13,491	4.2	3.4	12.2	6,097	15.6	11.6	8,060	7.5
	2002	3,114	6.8	10.6	13,155	4.3	3.2	12.2	6,084	16.1	11.4	7,759	7.1
	2001	3,088	6.5	11.3	13,642	4.0	3.4	11.6	6,374	14.9	11.4	8,407	8.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 29
Run Date: 4 / 11 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010	2,167	65.5	1,949	20.5	1,457	12.7
	2009	2,219	60.5	1,942	21.2	1,455	11.5
	2008	2,152	62.2	1,973	20.9	1,516	11.1
	2007	2,241	64.3	1,948	22.0	1,452	12.7
	2006	0	*	0	*	0	*
	2005	2,186	60.1	1,781	24.3	1,365	16.1
	2004	2,329	60.6	1,906	22.0	1,404	14.7
	2003	2,254	61.0	1,831	22.2	1,416	16.7
	2002	2,276	61.4	1,712	23.2	1,316	16.0
	2001	2,194	57.8	1,801	22.4	1,438	15.4
Black, Not Hispanic	2010	154	83.1	152	46.7	128	20.3
	2009	130	88.5	116	52.6	106	29.2
	2008	124	83.1	115	48.7	97	*
	2007	112	80.4	102	46.1	85	*
	2006	0	*	0	*	0	*
	2005	152	73.7	137	34.3	93	*
	2004	144	63.9	108	34.3	84	*
	2003	133	65.4	103	33.0	74	*
	2002	105	65.7	103	30.1	89	*
	2001	136	72.1	92	*	89	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 30
Run Date: 4 / 11 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010	340	61.5	314	20.4	223	9.4
	2009	324	63.3	311	20.9	272	8.5
	2008	352	58.5	309	23.3	238	8.4
	2007	328	62.2	310	23.9	259	14.3
	2006	0	*	0	*	0	*
	2005	162	57.4	115	29.6	102	15.7
	2004	152	55.9	143	25.2	125	16.0
	2003	154	62.3	96	*	102	21.6
	2002	124	58.9	100	24.0	96	*
	2001	130	58.5	100	20.0	101	13.9
American Indian/Alaska Native	2010	582	48.6	515	9.5	439	5.7
	2009	580	42.9	553	10.3	494	8.3
	2008	626	40.1	551	12.0	501	6.6
	2007	610	41.8	576	11.6	540	5.0
	2006	0	*	0	*	0	*
	2005	669	40.2	574	12.0	505	9.5
	2004	700	36.3	560	12.0	467	8.6
	2003	621	38.0	551	11.8	428	8.4
	2002	585	36.6	420	11.4	447	8.5
	2001	604	34.4	432	12.7	422	9.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 31
Run Date: 4 / 11 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010	43	*	23	*	24	*
	2009	30	*	28	*	17	*
	2008	18	*	13	*	24	*
	2007	30	*	38	*	21	*
	2006	0	*	0	*	0	*
	2005	39	*	31	*	16	*
	2004	36	*	22	*	24	*
	2003	29	*	27	*	20	*
	2002	41	*	35	*	24	*
	2001	45	*	30	*	28	*
Multiple Races	2010	270	68.1	230	15.7	188	11.2
	2009	292	57.2	253	18.2	229	10.9
	2008	332	58.7	290	14.5	224	6.7
	2007	306	60.5	268	15.3	169	8.3
	2006	0	*	0	*	0	*
	2005	0	*	0	*	0	*
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 32
Run Date: 4 / 11 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010	13	*	9	*	7	*
	2009	10	*	7	*	2	*
	2008	10	*	8	*	5	*
	2007	24	*	13	*	7	*
	2006	0	*	0	*	0	*
	2005	0	*	0	*	0	*
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
Total All Race/Ethnic Groups	2010	3,569	63.4	3,192	19.8	2,466	11.6
	2009	3,585	58.7	3,210	20.3	2,575	11.4
	2008	3,614	58.3	3,259	20.1	2,605	10.4
	2007	3,651	60.3	3,255	20.7	2,533	11.3
	2006	0	*	0	*	0	*
	2005	3,208	56.7	2,638	22.6	2,081	14.5
	2004	3,361	55.6	2,739	20.5	2,104	14.1
	2003	3,191	56.9	2,608	21.1	2,040	15.9
	2002	3,131	57.0	2,370	21.7	1,972	14.9
	2001	3,109	54.2	2,455	21.1	2,078	14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 33
Run Date: 4 / 11 / 11

Summary of Trends in Growth Indicators by Age ⁽³⁾																		
Age and Year *		Height and Weight								Age and Year *		Height and Weight						
		Short Stature (4)		Under-weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)						Short Stature (4)		Under-weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%				Number	%	%	%	Number	%	%
		<5th	<5th	≥95th		85th-<95th	≥95th				<5th	<5th	≥ 95th		85th-<95th	≥ 95th		
0 - 11 Months										24 - 35 Months								
2010	5,801	7.3	2.6	11.6	0	*	*		2010	2,575	3.1	2.5	13.0	2,575	15.8	13.0		
2009	5,840	6.4	2.8	11.4	0	*	*		2009	2,708	4.1	2.2	12.0	2,708	16.7	12.0		
2008	5,871	6.7	2.7	12.2	0	*	*		2008	2,538	3.6	2.8	12.3	2,538	16.5	12.3		
2007	5,853	7.1	3.0	13.5	0	*	*		2007	2,352	3.4	3.2	11.9	2,352	16.2	11.9		
2006	0	*	*	*	0	*	*		2006	0	*	*	*	0	*	*		
2005	4,226	6.2	3.4	12.1	0	*	*		2005	1,994	3.8	3.1	11.1	1,994	16.0	11.1		
2004	4,816	5.6	3.8	11.1	0	*	*		2004	2,350	3.0	3.6	11.4	2,350	15.0	11.4		
2003	4,680	6.3	3.5	11.2	0	*	*		2003	2,281	2.8	4.0	10.2	2,281	14.4	10.2		
2002	4,390	5.7	3.4	10.8	0	*	*		2002	2,197	3.6	3.6	9.8	2,197	16.6	9.8		
2001	4,489	5.8	3.4	10.3	0	*	*		2001	2,285	2.8	4.2	10.5	2,285	15.2	10.5		
12 - 23 Months										36 - 47 Months								
2010	2,730	3.6	2.1	16.4	0	*	*		2010	2,195	3.3	2.8	14.7	2,195	17.0	14.7		
2009	2,743	4.1	2.0	17.3	0	*	*		2009	2,250	2.8	3.0	14.6	2,250	17.2	14.6		
2008	2,765	4.4	1.8	17.4	0	*	*		2008	2,073	3.3	2.6	14.4	2,073	17.4	14.4		
2007	2,800	4.0	1.9	18.0	0	*	*		2007	2,091	3.5	3.4	13.9	2,091	18.7	13.9		
2006	0	*	*	*	0	*	*		2006	0	*	*	*	0	*	*		
2005	2,557	3.9	2.0	17.2	0	*	*		2005	1,742	2.8	3.2	14.1	1,742	16.0	14.1		
2004	2,800	4.8	2.4	18.3	0	*	*		2004	2,103	3.4	3.8	12.9	2,103	15.8	12.9		
2003	2,714	3.5	1.8	15.5	0	*	*		2003	1,909	2.9	3.9	12.2	1,909	15.1	12.2		
2002	2,681	4.1	2.2	16.4	0	*	*		2002	2,001	3.3	3.4	12.6	2,001	14.5	12.6		
2001	2,779	3.8	2.3	14.1	0	*	*		2001	2,143	3.5	3.9	10.5	2,143	13.7	10.5		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 34
Run Date: 4 / 11 / 11

Summary of Trends in Growth Indicators by Age ⁽³⁾																		
Age and Year *		Height and Weight								Age and Year *		Height and Weight						
		Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)						Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%				Number	%	%	%	Number	%	%
		<5th	<5th	%	>95th	85th-<95th	%	>95th		<5th	<5th	%	>95th	85th-<95th	%	>95th		
48 - 59 Months																		
2010		2,066	2.3	3.1	14.8	2,066	17.7	14.8										
2009		2,010	2.3	2.9	16.3	2,010	18.9	16.3										
2008		1,940	2.2	2.5	15.3	1,940	19.0	15.3										
2007		1,855	3.1	3.5	14.7	1,855	18.3	14.7										
2006		0	*	*	*	0	*	*										
2005		1,594	3.8	3.1	14.6	1,594	18.3	14.6										
2004		1,846	2.9	3.2	14.0	1,846	18.3	14.0										
2003		1,907	2.8	4.0	12.6	1,907	17.6	12.6										
2002		1,886	3.2	3.4	11.9	1,886	17.3	11.9										
2001		1,946	2.3	3.5	13.6	1,946	15.8	13.6										
Total All Age Groups																		
2010		15,367	4.7	2.6	13.5	6,836	16.8	14.1										
2009		15,551	4.5	2.6	13.6	6,968	17.5	14.1										
2008		15,187	4.7	2.5	13.8	6,551	17.5	13.8										
2007		14,951	4.9	2.9	14.3	6,298	17.7	13.4										
2006		0	*	*	*	0	*	*										
2005		12,113	4.5	3.0	13.6	5,330	16.7	13.1										
2004		13,915	4.3	3.4	13.3	6,299	16.2	12.7										
2003		13,491	4.2	3.4	12.2	6,097	15.6	11.6										
2002		13,155	4.3	3.2	12.2	6,084	16.1	11.4										
2001		13,642	4.0	3.4	11.6	6,374	14.9	11.4										

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 35
Run Date: 4 / 11 / 11

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2010	2,529	13.0		2010	1,393 10.3
	2009	2,358	10.4		2009	1,435 8.6
	2008	2,414	11.6		2008	1,506 9.2
	2007	1,812	11.8		2007	1,431 11.1
	2006	0	*		2006	0 *
	2005	563	14.7		2005	1,195 11.0
	2004	568	11.8		2004	1,301 9.7
	2003	598	12.5		2003	1,277 8.1
	2002	625	8.6		2002	1,184 9.3
	2001	695	13.4		2001	1,185 9.0
12 - 17 Months				24 - 35 Months		
	2010	939	14.8		2010	2,633 9.1
	2009	1,046	16.6		2009	2,710 10.4
	2008	1,111	14.5		2008	2,536 8.2
	2007	1,573	13.5		2007	2,408 8.7
	2006	0	*		2006	0 *
	2005	1,279	11.8		2005	1,503 11.4
	2004	1,506	11.1		2004	1,810 9.0
	2003	1,455	10.0		2003	1,721 7.3
	2002	1,324	9.5		2002	1,693 7.7
	2001	1,467	11.9		2001	1,914 8.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
North Dakota
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 36
Run Date: 4 / 11 / 11

Summary of Trends in Anemia by Age (3)					
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	
		Number	%		
36 - 59 Months				Total All Age Groups	
	2010	3,853	6.2		2010 11,347 9.6
	2009	3,883	6.2		2009 11,432 9.3
	2008	3,565	5.2		2008 11,132 8.7
	2007	3,559	5.6		2007 10,783 9.2
	2006	0	*		2006 0 *
	2005	2,486	5.6		2005 7,026 9.6
	2004	3,102	4.9		2004 8,287 8.2
	2003	3,009	5.2		2003 8,060 7.5
	2002	2,933	4.4		2002 7,759 7.1
	2001	3,146	5.3		2001 8,407 8.4
All Other/Unknown					
	2010	0	*		
	2009	0	*		
	2008	0	*		
	2007	0	*		
	2006	0	*		
	2005	0	*		
	2004	0	*		
	2003	0	*		
	2002	0	*		
	2001	0	*		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

